Safety data sheet

MERCK

According to EC Directive 91/155/EEC
11.2000 from CD-ROM 2000/3 Date of issue: 15.12.1998 Supersedes edition of 18.09.1997

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 105432

Product name: Ammonia solution 25% GR for analysis

Manufacturer/supplier identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 6151 72-2440

Emergency telephone No.: Please contact the regional Merck representation in your country.

2. Composition/information on ingredients

Aqueous ammoniacal solution.

Synonyms

Ammonium hydroxide solution

CAS-No.: 1336-21-6 EC-Index-No.: 007-001-01-2
EC-No.: 215-647-6

Hazardous ingredients:

Name according to EC Directives: / *CAS-No.*	*EC No.:*	*EC-Index-No.*	*Labelling according to EC Directives*	*Content:*
ammonia solution				
7664-41-7	231-635-3	007-001-01-2	C, N R 34-50	25 %

3. Hazards identification

Causes burns. Very toxic to aquatic organisms.

4. First aid measures

After inhalation: fresh air. Summon doctor.
After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400. Immediately remove contaminated clothing.
After eye contact: rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately summon eye specialist.
After swallowing: make victim drink plenty of water (if necessary several litres), avoid vomiting (risk of perforation!). Immediately summon doctor. Do not attempt to neutralize.

5. Fire-fighting measures

Suitable extinguishing media:
In adaption to materials stored in the immediate neighbourhood.

Special risks:
Non-combustible. Ambient fire may liberate hazardous vapours. The following may develop in event of fire: nitrogen oxides.

Special protective equipment for fire fighting:
Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Other information:
Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:
Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Procedures for cleaning / absorption:
Take up with liquid-absorbent material (e.g. Chemizorb®). Forward for disposal. Clean up affected area.

Environmental-protection measures:
Do not allow to enter sewerage system.

Additional notes:
Render harmless: neutralize with dilute sulfuric acid.

7. Handling and storage

Handling:

Substance may react with container during storage, resulting in a slight increase in nonvolatile matter.

Storage:

Tightly closed. In a well-ventilated place. Below +25˚C. (Temperature may be exceeded to up to +40˚C for a period of max. 48 hours). Ensure supply of fresh air in enclosed rooms.

8. Exposure controls/personal protection

Specific control parameter

German regulations

MAK Germany (max. workplace conc.)

Name	Ammonia
Value	20 ml/m^3
	14 mg/m^3
Peak limit	I local irritating substance
Embryotoxic	cat. C no risk expected by maintaining TLV

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection:	required when vapours/aerosols are generated. Filter K (acc. to DIN 3181) for NH_3
Eye protection:	required
Hand protection:	required
Other protective equipment:	Suitable protective clothing.

Industrial hygiene:
Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

9. Physical and chemical properties

Form:		liquid		
Colour:		colourless		
Odour:		pungent		
pH value			not available	
Melting point			-57.5	˚C
Boiling point			37.7	˚C
Ignition temperature			not available	
Flash point			25	˚C
Explosion limits	lower		15.4	Vol%
	upper		33.6	Vol%
Vapour pressure		(20 ˚C)	483	hPa
Density		(20 ˚C)	0.91	g/cm^3
Solubility in water		(20 ˚C)	soluble	

10. Stability and reactivity

Conditions to be avoided

Heating.

Substances to be avoided

alkalis (Formed could be: ammonia), iodine, strong acids, halogens, mercury oxide, silver.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

incompatible with various metals and metal alloys (i.a. zinc, copper);
Explosible with air in a vaporous/gaseous state when heated.

11. Toxicological information

Acute toxicity

LD_{50} (oral, rat): 350 mg/kg.
LCLo (inhalation, human): 5000 ppm(V).
LC_{50} (inhalation, rat): 1.4 mg/l /4 h (anhydrous substance).
The literature data available to us do not conform with the labelling prescribed by the EC. The EC has dossiers which have not been published.

Subacute to chronic toxicity

Sensitization test (guinea pig): negative.

An embryotoxic effect need not be feared when the threshold limit value is observed.
No mutagenic properties suspected.
No carcinogenic properties suspected.

Bacterial mutagenicity:
Salmonella typhimurium negative.
Escherichia coli negative.

Further toxicological information

After inhalation: Possible symptoms: coughing, bronchitis, pulmonary oedema.
When vapours/aerosols are generated: strong irritant effect.
After skin contact: Possible effect after contact with substance: irritant and caustic effects (dermatitis, necrosis).
After eye contact: burns. Risk of blindness!
After swallowing: mucosal irritations, gastric pain, nausea, bloody vomiting, collapse, shock, dyspnoea, unconsciousness. Risk of perforation in the oesophagus and stomach.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Abiotic degradation:
Slow degradation.

Biologic degradation:
Not readily degradable.

Behavior in environmental compartments:
No bioaccumulation is to be expected (log P(o/w <1).

Ecotoxic effects:
Fish toxicity: Onchorhynchus mykiss LC_{50}: 0.53 mg/l /96 h
Daphnia toxicity: Daphnia pulicaria EC_{50}: 1.16 mg/l /48 h
Daphnia magna EC_{50}: 24 mg/l /48 h
Bacterial toxicity: Photobacterium phosphoreum EC_{50}: 2 mg/l /5 min
Biological effects: Highly toxic for aquatic organisms. Harmful effect due to pH shift. Forms toxic mixtures in water, dilution measures notwithstanding.

Further ecologic data:
The following applies to ammonium ions in general: biological effects: fish: toxic as from 0.3 mg/l ; nourishment for fish: toxic as from 0.3 mg/l .

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste.

Packaging:

Disposal in compliance with official regulations. Handle contaminated packaging in the same way as the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

14. Transport information

Land transport	GGVS, GGVE, ADR, RID
Classification	8/43c
Name	2672 AMMONIAKLOESUNG 25%
River transport	ADN, ADNR
Classification	not tested
Sea transport	IMDG, GGVSee
Classification	8/UN 2672/PG III
Ems	8-06
MFAG	725
Name	AMMONIA SOLUTION 25%
Air transport	ICAO, IATA
Classification	8/UN 2672/PG III
Name	AMMONIA SOLUTION

The transport regulations are cited according to international regulations and in the form applicable in Germany (GGVS/GGVE). Possible national deviations in other countries are not considered.

15. Regulatory information

Labelling according to EC Directives

Symbol:	C	Corrosive
	N	Dangerous for the environment
R-phrases:	34-50	Causes burns. Very toxic to aquatic organisms.
S-phrases:	26-36/37/39-45-61	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment. Refer to special instructions/Safety data sheets.
EC-No.:	215-647-6	EC label

16. Other information

Reason for alteration

General update.

Regional representation:

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

MERCK

ThermoFisher SCIENTIFIC

SAFETY DATA SHEET

Creation Date 29-Sep-2014 **Revision Date** 25-Dec-2021 **Revision Number** 8

1. Identification

Product Name **Hydrazine hydrate, 55% (Hydrazine, 35%)**

Cat No. : **AC296810000; AC296810050; AC296811000; AC296815000; AC296810025**

CAS No 10217-52-4
Synonyms No information available

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99
CHEMTREC Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 2
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

Label Elements

Signal Word
Danger

Hazard Statements
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause an allergic skin reaction
Fatal if inhaled
May cause cancer
Toxic if swallowed or in contact with skin

Precautionary Statements
Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wear respiratory protection
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Response
Immediately call a POISON CENTER or doctor/physician
Inhalation
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Skin
Wash contaminated clothing before reuse
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
If skin irritation or rash occurs: Get medical advice/attention
Eyes
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Ingestion
Rinse mouth
Do NOT induce vomiting
Storage
Store locked up
Store in a well-ventilated place. Keep container tightly closed
Disposal
Dispose of contents/container to an approved waste disposal plant
Hazards not otherwise classified (HNOC)
Very toxic to aquatic life with long lasting effects
WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Hydrazine (hydrate)	10217-52-4	50 - 60
Water	7732-18-5	40 - 50

Hydrazine	302-01-2	-

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO_2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point > 100 °C / > 212 °F

Method - No information available

Autoignition Temperature 310 °C / 590 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical
Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products
Nitrogen oxides (NOx). Ammonia. Hydrogen.
Protective Equipment and Precautions for Firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
4	1	3	N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Storage. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Acids. Bases. Finely powdered metals. Halogens. nitrogen oxides (NOx). Organic materials. Peroxides. Lead. Metals. copper. Butyl rubber.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hydrazine	TWA: 0.01 ppm Skin	(Vacated) TWA: 0.1 ppm (Vacated) TWA: 0.1 mg/m³ Skin TWA: 1 ppm TWA: 1.3 mg/m³	IDLH: 50 ppm Ceiling: 0.03 ppm Ceiling: 0.04 mg/m³	TWA: 0.01 ppm

Legend

ACGIH *- American Conference of Governmental Industrial Hygienists*
OSHA *- Occupational Safety and Health Administration*
NIOSH IDLH: *NIOSH - National Institute for Occupational Safety and Health*

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Ammonia-like
Odor Threshold	No information available
pH	12 350 g/l aq.sol
Melting Point/Range	-65 °C / -85 °F
Boiling Point/Range	109.4 °C / 228.9 °F
Flash Point	> 100 °C / > 212 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	15 mbar @ 20 °C
Vapor Density	1.1 @ 15 °C
Specific Gravity	1.023
Solubility	Miscible with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	310 °C / 590 °F
Decomposition Temperature	No information available
Viscosity	1.26 mPa.s at 20 °C
Molecular Formula	H4 N2 . x H2 O
Molecular Weight	32.04

10. Stability and reactivity

Reactive Hazard No

Stability Do not allow evaporation to dryness. Air sensitive.

Conditions to Avoid Exposure to air. Incompatible products.

Incompatible Materials Acids, Bases, Finely powdered metals, Halogens, nitrogen oxides (NOx), Organic materials, Peroxides, Lead, Metals, copper, Butyl rubber

Hazardous Decomposition Products Nitrogen oxides (NOx), Ammonia, Hydrogen

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Toxic by inhalation, in contact with skin and if swallowed
Oral LD50 Category 3. ATE = 50 - 300 mg/kg.
Dermal LD50 Category 3. ATE = 200 - 1000 mg/kg.
Vapor LC50 Category 3. ATE = 2 - 10 mg/l. Category 2. ATE = 0.5 - 2 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrazine	LD50 = 60 mg/kg (Rat)	LD50 = 91 mg/kg (Rabbit)	570 ppm (Rat) 4 h 0.75 mg/L (Rat) 4 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity Possible cancer hazard. May cause cancer based on animal data.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Hydrazine (hydrate)	10217-52-4	Not listed	Not listed	Not listed	Not listed	Not listed
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrazine	302-01-2	Group 2A	Reasonably Anticipated	A3	X	A3

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)
Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

Mexico - Occupational Exposure Limits - Carcinogens
A1 - Confirmed Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Confirmed Animal Carcinogen
A4 - Not Classifiable as a Human Carcinogen
A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system
STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrazine (hydrate)	Not listed	Not listed	EC50 = 0.01 mg/L 15 min EC50 = 0.01 mg/L 20 min EC50 = 0.02 mg/L 5 min	Not listed
Hydrazine	EC50: = 0.02 mg/L, 96h static (Pseudokirchneriella subcapitata)	LC50: 0.28 - 1.34 mg/L, 96h static (Poecilia reticulata) LC50: 0.7 - 1.3 mg/L, 96h	EC50 = 0.01 mg/L 15 min EC50 = 0.01 mg/L 20 min EC50 = 0.02 mg/L 5 min	Not listed

	EC50: = 0.006 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: = 0.071 mg/L, 72h (Pseudokirchneriella subcapitata)	flow-through (Lepomis macrochirus) LC50: 1.81 - 2.79 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1.17 mg/L, 96h (Lepomis macrochirus) LC50: 0.54 - 1.31 mg/L, 96h static (Lepomis macrochirus)		

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Hydrazine	-1.37

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Hydrazine - 302-01-2	U133	-

14. Transport information

DOT

UN-No UN3293
Proper Shipping Name HYDRAZINE AQUEOUS SOLUTION
Hazard Class 6.1
Packing Group III

TDG

UN-No UN3293
Proper Shipping Name HYDRAZINE, AQUEOUS SOLUTION
Hazard Class 6.1
Packing Group III

IATA

UN-No UN3293
Proper Shipping Name HYDRAZINE, AQUEOUS SOLUTION
Hazard Class 6.1
Packing Group III

IMDG/IMO

UN-No UN3293
Proper Shipping Name HYDRAZINE, AQUEOUS SOLUTION
Hazard Class 6.1
Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Hydrazine (hydrate)	10217-52-4	-	-	-
Water	7732-18-5	X	ACTIVE	-
Hydrazine	302-01-2	X	ACTIVE	-

Legend:
TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed
'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories
X = listed.

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Hydrazine (hydrate)	10217-52-4	-	-	-	-	X	X	-	X	-
Water	7732-18-5	X	-	231-791-2	X	X		X	X	KE-35400
Hydrazine	302-01-2	X	-	206-114-9	X	X	X	X	X	KE-19981

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Hydrazine	302-01-2	-	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrazine	X		-

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrazine	1 lb	1 lb

California Proposition 65 This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Hydrazine	302-01-2	Carcinogen	0.04 µg/day	Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Hydrazine	X	X	X	X	X

U.S. Department of Transportation
Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product contains the following DHS chemicals:
Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrazine	Release STQs - 10000lb

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrazine	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 206-114-9 - Carcinogenic, Article 57a

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list
https://echa.europa.eu/substances-restricted-under-reach
https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Hydrazine (hydrate)	10217-52-4	Not applicable	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrazine	302-01-2	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hydrazine (hydrate)	10217-52-4	Not applicable	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrazine	302-01-2	0.5 tonne	2 tonne	Not applicable	Not applicable

16. Other information

Prepared By
Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date 29-Sep-2014
Revision Date 25-Dec-2021
Print Date 25-Dec-2021
Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS

Tri-Sodium Phosphate
Safety data sheet

1. Identification of the substance/preparation and of the company/undertaking

Product name: tri-Sodium phosphate

2. Hazards identification

Irritating to eyes and skin.

3. First aid measures

After inhalation: fresh air.
After skin contact: wash off with plenty of water. Remove contaminated clothing.
After eye contact: rinse out with plenty of water with the eyelid held wide open. Summon eye specialist.
After swallowing: make victim drink plenty of water, induce vomiting, summon doctor.

4. Fire-fighting measures

Suitable extinguishing media:
In adaption to materials stored in the immediate neighbourhood.
Special risks:
Non-combustible. Ambient fire may liberate hazardous vapours.
Special protective equipment for fire fighting:
Do not stay in dangerous zone without self-contained breathing apparatus.
Other information:
Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

5. Accidental release measures

Person-related precautionary measures:
Avoid substance contact. Avoid generation of dusts; do not inhale dusts.
Environmental-protection measures:
Do not allow to enter sewerage system.
Procedures for cleaning / absorption:
Take up dry. Forward for disposal. Clean up affected area. Avoid generation of dusts.

6. Handling and storage

Handling:
No further requirements.
Storage:
Tightly closed. Dry. Storage temperature: no restrictions.

7. Exposure controls/personal protection

Personal protective equipment:
Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.
Respiratory protection: required when dusts are generated.

Eye protection: required
Hand protection: required
Industrial hygiene:
Change contaminated clothing. Application of skin- protective barrier cream recommended. Wash hands
after working with substance.

8. Physical and chemical properties

Form: crystals
Colour: colourless to white
Odour: odourless
pH value
at 10 g/l H_2O (20 °C) ~ 12
Melting point ~ 75 °C (release of crystalline water)
Boiling point not available
Ignition temperature not available
Flash point not available
Explosion limits lower not available
upper not available
Density (20 °C) 1.62 g/cm3
Bulk density ~ 620 kg/m3
Solubility in
water (20 °C) 285 g/l
ethanol insoluble

9. Stability and reactivity

Conditions to be avoided
no information available
Substances to be avoided
no information available
Hazardous decomposition products
no information available

10. Toxicological information

Acute toxicity
LD50 (oral, rat): 7400 mg/kg.
Further toxicological information
After skin contact: Irritations.
After eye contact: Irritations, mucosal irritations.
After swallowing: gastric pain, vomiting.
Further data
Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

11. Ecological information

Fish toxicity:
L.idus LC0: ~2400 mg/l /48 h (anhydrous substance)
Depending on the concentration, phosphates may contribute to the eutrophication of water supplies. No ecological problems are to be expected when the product is handled and used with due care and attention.

12. Disposal considerations

Product:
There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical

residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste.

Packaging:

Disposal in compliance with official regulations. Handle contaminated packaging in the same way as the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

13. Regulatory information

Labelling according to EC Directives

Symbol: Xi Irritant
R-phrases: 36/38 Irritating to eyes and skin.
S-phrases: ---

14. Other information

Reason for alteration

Change in supplement to physical/chemical parameters.
Change in the chapter on ecology.
General update.

Regional representation:

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Design By Tarek , Mobile : 01005068300